

Product Name: **Portland Cement** 1/6 Page: Date of Issue: 16 July 2014 Rev. No.: 03 SECTION 1: IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / **UNDERTAKING** 1.1. **Product identifier Portland Cement** Product name: White Portland Cement, White Portland Limestone Cement, White Product identifier: Blended Cement, Bricklayers[®] Cement 1.2 Relevant identified uses of the substance or mixture and uses advised against Binder for natural and artificially processed aggregates, such as sand, Application: gravel and pebbles, for production of mortar, plaster and concrete. 1.3 Details of the supplier of the safety data sheet AALBORG PORTLAND MALAYSIA SDN BHD Supplier: Lot 75244, Pinji Estate, P.O.Box 428, 30750 Ipoh, Perak, Malaysia Tel: 05-321 8988 Fax: 05-322 2522 aalborg@aalborgportland.com.my www.aalborgportland.com.my aalborg@aalborgportland.com.my Responsible for safety data

sheet authoring:

1.4 Emergency telephone number

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

The product is classified:	
GHS:	Eye Dam. 1;H318 – Skin Irrit. 2;H315 – STOT SE 3;H335
Human health:	Dust may irritate throat and respiratory system and cause coughing. Frequent inhalation of dust over a long period of time increase the risk of developing lung diseases. Dust or splashes from the mixture may cause
	permanent eye damage. Dust has an irritating effect on moist skin. Prolonged contact with wet cement/mixture may cause burns.
Environment:	The product is not expected to be hazardous to the environment. In the presence of water the product hardens to a solid mass which is not biodegradable.

2.2 Label elements



DANGER Causes skin irritation. Causes serious eye damage. May cause respiratory irritation. Do not breathe dust.

H315
H318
H335
P260



	GALETT BATA ONEET		
Product Name:	Portland Cement	Page:	2/6
Date of Issue:	16 July 2014	Rev. No.:	03
P280 P305/351/338	Wear protective gloves, eye and fac IF IN EYES: Rinse cautiously wit contact lenses, if present and easy	h water for sev	
P313	Get medical advice/attention.		-
P501	Dispose of contents/container in ac Contains: Calcium oxide. When in hydroxide which has a corrosive eff	mixed with wat	ter it will form calcium

2.3 Other hazards

Not relevant.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Mixtures

GHS:

Other hazards

The product contains: cement

The following substances shall be indicated according to legislation:

<u>%:</u> <u>CAS-No.:</u>	EC No.:	REACH	Chemical	Hazard	Notes:
60-100 65997-15-1	266-043-4	<u>Reg. No.:</u> -	<u>name:</u> Portland Cement	<u>classification:</u> STOT SE 3;H335 Skin Irrit. 2;H315 Eye Dam. 1;H318	

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid mea	asures
Inhalation:	Move injured person into fresh air and keep person calm under observation. If uncomfortable: Seek hospital and bring these instructions.
Skin contact:	Remove contaminated clothing immediately and wash skin with soap and water. In case of rashes, wounds or other skin disorders: Seek medical attention and bring along these instructions.
Eye contact:	Do not rub eye. Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Continue flushing during transport to hospital. Bring these instructions.
Ingestion:	Immediately rinse mouth and drink plenty of water or milk. Keep person under observation. Do not induce vomiting. If vomiting occurs, keep head low. Transport immediately to hospital and bring along these instructions.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms/effects: See section 11 for more detailed information on health effects and symptoms.

4.3 Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Not known.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Extinguishing media: Use fire-extinguishing media appropriate for surrounding materials.

5.2 Special hazards arising from the substance or mixture

Specific hazards: Water used for fire extinguishing, which has been in contact with the product, may be corrosive.



Product Name: **Portland Cement** 16 July 2014 Date of Issue:

Page: 3/6 Rev. No.:

03

5.3 Advice for firefighters

5.3 Advice for Protective equi fighters:		precautions indica	ted in the wo	orkplace.	e-fighting: follow the general fire fire extinguishing, use chemical
		EASE MEASURES			
6.1 Personal preca		ective equipment a Avoid inhalation contact. Use work	of dust. Ave	oid contact	with eyes and prolonged skin
6.2 Environme Environmental	ental precautions precautions:			•	ature but collected and delivered anorities.
6.3 Methods a Methods for cle		ontainment and cl Remove spillage v shovel, broom or t	with vacuum	cleaner. If i	not possible, collect spillage with
SECTION 7: H	IANDLING AND S	TORAGE			
7.1 Precaution	n s for safe handl advice:	Observe good ch	. Avoid cont	tact with ey	es. Avoid spreading dust. Avoid ves and prolonged skin contact.
Technical mea Technical prec		Use work methods which minimise dust production. Mechanical ventilation may be required. Provide easy access to water supply and eye wash facilities.			
7.2. Condition Technical mea storage:	-	e, including any in No special precau	•	ties	
Storage condit	ions:	Store in closed original container in a dry place. Seal opened containers and use up as soon as possible. When stored in humid conditions, the chromate neutralisation will decrease.			
7.3. Specific e Specific use(s)	\ /	Not relevant.			
SECTION 8. F	XPOSURE CONT	ROLS/PERSONAL	PROTECTI	ON	
8.1. Control pa					
Occupational e <u>CAS-No.:</u> <u>C</u> 65997-15-1 F	exposure limits: <u>Chemical name:</u> Portland cement,	<u>Exposure limits:</u> 3 mg/m ³	<u>Type:</u> TWA	<u>Notes:</u> -	<u>References:</u> USECHH 2000
65997-15-1 F	espirable dust Portland cement, nhalable dust	10 mg/m ³	TWA	-	USECHH 2000

8.2. Exposure controls

Engineering measures:

Provide adequate ventilation. Observe occupational exposure limits and



		SALLT DATA SHELT	CEMENTIF	HOLDING	
Product Name:	Portland Cement		Page:	4/6	
Date of Issue:	16 July 2014		Rev. No.:	03	
	minimi	se the risk of inhalation of dus	t.		

Personal protection:	Personal protection equipment should be chosen in discussion with the supplier of the personal protective equipment.
Respiratory equipment:	During dust-raising work: Use respiratory equipment with particle filter.
Hand protection:	Wear protective gloves. Nitrile gloves are recommended. Other types of gloves can be recommended by the glove supplier.
Eye protection:	Wear goggles/face shield.
Skin protection:	Wear special protective clothing. Hood or helmet shall be used in connection with splashing work.
Hygiene measures:	Remove contaminated clothing and wash the skin thoroughly with soap and water after work.
Environmental Exposure Controls:	Not available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance:	Cement white
Odour:	Odourless.
pH:	Ready-to-use mixture: approx. 13
Boiling point:	Not relevant.
Flash point:	Not relevant.
Explosion limits:	Not relevant.
Relative density:	Not available.
Solubility:	Miscible with water.
-	

9.2. Other information	
Other data:	Not relevant.

SECTION 10: STABILITY AND REACTIVITY	
10.1. Reactivity	

Reactivity: None known.

10.2. Chemical stability Stability:

Stable under normal temperature conditions. The content of chromate reducing agent is gradually diminished.

10.3. Possibility of hazardous reactions

Hazardous Reactions: None known.

10.4. Conditions to avoid

Conditions/materials to avoid: The product will harden into a hard mass in contact with water and moisture.

10.5. Incompatible materials

Incompatible materials: Not known.

10.6. Hazardous decomposition products

Hazardous decomposition None in particular. products:



Product Name: **Portland Cement** Date of Issue: 16 July 2014

Page: 5/6 Rev. No.:

03

with skin may cause allergic reactions in sensitive individuals. Dust or splashes from the mixture may cause permanent eye damage. Eye contact: Immediate first aid is necessary. Ingestion: Not likely, due to the form of the product. Ingestion may cause severe

SECTION 11: TOXICOLOGICAL INFORMATION 11.1. Information on toxicological effects

Specific effects:

Inhalation:

Skin contact:

irritation of the mouth, the esophagus and the gastrointestinal tract. Frequent inhalation of dust over a long period of time increases the risk of developing lung diseases.

Dust has an irritating effect on moist skin. Repeated or prolonged contact

Dust may irritate throat and respiratory system and cause coughing.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecotoxicity:

The product is not expected to be hazardous to the environment.

12.2. Persistence and degradability

Degradability:

The product reacts with water to form a solid insoluble reaction product which is non-degradable, according to information available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

12.4. Mobility in soil

Mobility:

No data available.

None known.

12.5. Other adverse effects

Other adverse effects:

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Waste is classified as hazardous waste. Note that fully cured material is not considered as hazardous waste.

SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID). 14.1. UN number

UN-No:

14.2. UN proper shipping name

Proper Shipping Name:

14.3. Transport hazard class(es) Class:

14.4. Packing group PG:

14.5. Environmental hazards

Product Name:Portland CementDate of Issue:16 July 2014



Page: 6/6 Rev. No.: 03

Marine pollutant: Environmentally Hazardous substance:

14.6. Special precautions for user

Special precautions: None known.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Transport in bulk: Not relevant.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Special provisions: As a general rule, persons under 18 years of age are not allowed to work with this product. Users must be carefully instructed in the proper work procedure, the dangerous properties of the product and the necessary safety instructions.

15.2. Chemical Safety Assessment

CSA status: Not relevant.

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.